

[First Hit](#) [Fwd Refs](#)  
**End of Result Set**

[Previous Doc](#) [Next Doc](#) [Go to Doc#](#)

[Generate Collection](#) [Print](#)

L23: Entry 2 of 2

File: USPT

Jul 25, 1995

DOCUMENT-IDENTIFIER: US 5436837 A  
TITLE: System for controlling a motor vehicle

Detailed Description Text (34):

In order to be able to carry out particularly informative monitoring, the following method is applied. If the amount of the safety-relevant function which is to be monitored by the monitoring device is considered, the function sequence in terms of time can be represented as a directed, cycle-free graph. An example of such a graph is shown in FIG. 5b. At the starting node S of the graph, the test value is fed into the monitoring device, at the target node Z, the result is to be delivered to the monitoring device.

Detailed Description Text (35):

Each node has a number of edges which lead to it, each of these edges yielding an input value. The node calculates the output value on the basis of the input values, pursuant to a function F1, F2, . . . F6, which is passed on to all nodes which can be reached directly. The target node also receives a number of inputs. If the function sequence is without errors, the target node delivers the result to the monitoring device. Parallel paths in the graph represent the parallel sequence of the program, and sequential paths represent the serial sequence of the program.

Detailed Description Text (36):

The calculation of the control values in the microprocessor also takes place pursuant to such a graph. The graph used for calculation of the control values has the same structure, i.e., it possesses the same nodes and edges with the same arrangement. The calculation of the result takes place pursuant to different functions. A test function is assigned to each function for calculating the control value; this function is processed during, before or after the control function. If the individual test functions F1, F2, . . . F6 are suitably selected, a failure of a partial function of the microprocessor can also be reliably recognized. In the monitoring device, calculation of the result also takes place with this graph and the test function. If the microprocessor is working correctly, these two results agree.

[Previous Doc](#) [Next Doc](#) [Go to Doc#](#)

4.38  
+ 2.69  
-----  
7.07

[First Hit](#) [Fwd Refs](#)  
**End of Result Set**

[Previous Doc](#) [Next Doc](#) [Go to Doc#](#)

[Generate Collection](#) [Print](#)

L23: Entry 2 of 2

File: USPT

Jul 25, 1995

US-PAT-NO: 5436837  
 DOCUMENT-IDENTIFIER: US 5436837 A

TITLE: System for controlling a motor vehicle

DATE-ISSUED: July 25, 1995

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Gerstung; Ulrich	Vaihingen/Enz			DE
Hall; Dieter	Schwieberdingen			DE
Kirschner; Michael	Ludwigsburg			DE
Zimmerman; Werner	Stuttgart			DE
Berger; Joachim	Winterbach			DE
Grosser; Martin	Stuttgart			DE
Seher; Dieter	Ilsfeld			DE
Wessel; Wolf	Oberriexingen			DE
Bittinger; Wolfgang	Wien			AT
Dittrich; Wolfgang	Wien			AT
Forster; Felix	Wien			AT
Poledna; Stefan	Wien			AT
Schmidt; Karl-Heinz	Oberwart			AT

## ASSIGNEE-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY	TYPE CODE
Robert Bosch GmbH				DE	03

APPL-NO: 07/843011 [PALM]  
 DATE FILED: February 28, 1992

## FOREIGN-APPL-PRIORITY-DATA:

COUNTRY	APPL-NO	APPL-DATE
DE	41 14 999.8	May 8, 1991

INT-CL-ISSUED: [06] G06 F 11/30

US-CL-ISSUED: 364/424.03; 340/438, 371/25.1, 371/68.1  
 US-CL-CURRENT: 701/29; 340/438, 714/736, 714/820

FIELD-OF-CLASSIFICATION-SEARCH: 364/424.03, 364/424.04, 364/431.01, 364/431.11, 364/550, 364/551.01, 73/117.2, 73/117.3, 340/438, 340/439, 371/25.1, 371/26, 371/68.1

See application file for complete search history.

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

Search Selected  Search ALL  Clear

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
<input type="checkbox"/> <u>4532594</u>	July 1985	Hosaka et al.	364/431.11
<input type="checkbox"/> <u>4583176</u>	April 1986	Yamato et al.	364/431.11
<input type="checkbox"/> <u>4615321</u>	October 1986	Haefner et al.	340/438
<input type="checkbox"/> <u>4797828</u>	January 1989	Suzuki et al.	364/431.11
<input type="checkbox"/> <u>4881227</u>	November 1989	Buhren	364/431.11
<input type="checkbox"/> <u>4928242</u>	May 1990	Suzuki	364/424.03
<input type="checkbox"/> <u>5142474</u>	August 1992	Miyata et al.	364/431.11
<input type="checkbox"/> <u>5153835</u>	October 1992	Hashimoto et al.	364/431.11
<input type="checkbox"/> <u>5235527</u>	August 1993	Ogawa et al.	364/431.11
<input type="checkbox"/> <u>5274554</u>	December 1993	Takats et al.	364/424.03

FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY	CLASS
0127789A3	December 1984	EP	
0222047A1	May 1987	EP	
0322141A2	June 1989	EP	
3240707	May 1984	DE	
3531198	March 1987	DE	
2026705	February 1980	GB	
2172715	September 1986	GB	

OTHER PUBLICATIONS

Steffen Storandt et al.; "Sichere und Fehlertolerante Mikrocontroller-Systeme," Electronik, vol. 38, No. 10, May 12, 1989, Munchen, Germany, pp. 88-90; p. 89, column 1, line 15-line 25.

ART-UNIT: 234

PRIMARY-EXAMINER: Chin; Gary

ATTY-AGENT-FIRM: Kenyon & Kenyon

ABSTRACT:

A system for controlling a motor vehicle includes a first device for determining control data required for controlling the motor vehicle. A second device monitors the first device. The first device determines second data on the basis of first data, pursuant to a test function. The second device determines third data on the basis of the first data, pursuant to the same test function. The first and/or the second device recognizes an error state relevant to safety, dependent upon a comparison between the second data and the third data.

17 Claims, 14 Drawing figures

[Previous Doc](#)

[Next Doc](#)

[Go to Doc#](#)

[First Hit](#) [Fwd Refs](#)[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)
 [Generate Collection](#) [Print](#)

L23: Entry 1 of 2

File: USPT

Nov 28, 2000

US-PAT-NO: 6154736

DOCUMENT-IDENTIFIER: US 6154736 A

TITLE: Belief networks with decision graphs

DATE-ISSUED: November 28, 2000

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Chickering; David Maxwell	Redmond	WA		
Heckerman; David	Bellevue	WA		
Meek; Christopher A.	Kirkland	WA		

## ASSIGNEE-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY	TYPE CODE
Microsoft Corporation	Redmond	WA			02

APPL-NO: 08/902759 [PALM]

DATE FILED: July 30, 1997

INT-CL-ISSUED: [07] G06 N 5/00, G06 N 5/02

US-CL-ISSUED: 706/59; 706/45

US-CL-CURRENT: 706/59; 706/45

FIELD-OF-CLASSIFICATION-SEARCH: 706/12, 706/46, 706/59, 706/61, 706/45

See application file for complete search history.

## PRIOR-ART-DISCLOSED:

## U.S. PATENT DOCUMENTS

 [Search Selected](#)  [Search ALL](#)  [Clear](#)

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
<input type="checkbox"/> <u>5696884</u>	December 1997	Heckerman et al.	706/61
<input type="checkbox"/> <u>5704017</u>	December 1997	Heckerman et al.	706/12
<input type="checkbox"/> <u>5704018</u>	December 1997	Heckerman et al.	395/75
<input type="checkbox"/> <u>5715374</u>	February 1998	Heckerman et al.	706/46
<input type="checkbox"/> <u>5802256</u>	September 1998	Heckerman et al.	706/59

## OTHER PUBLICATIONS

Boutilier, Craig et al., "Context-Specific Independence in Bayesian Networks," Proceedings of the Twelfth Annual Conference on Uncertainty in Artificial Intelligence (UAI-96), Portland, Oregon, Aug. 1997, pp. 115-123.

Chickering, David Maxwell et al., "A Bayesian Approach to Learning Bayesian Networks with Local Structure," Technical Report MSR-TR-97-06, Microsoft Research, Redmond, Washington, Mar. 1997, pp. 1-22.

Friedman, Nir and Goldszmidt, Moises, "Discretizing Continuous Attributes While Learning Bayesian Networks," pp. 157-165.

Friedman, Nir and Goldszmidt, "Building Classifiers Using Bayesian Networks," pp. 1277-1284.

Friedman, Nir and Goldszmidt, "Learning Bayesian Networks with Local Structure," pp. 252-262.

Tukey, John W., Exploratory Data Analysis, Addison-Wesley Publishing Company, Inc., Redding, Massachusetts, 1977, preface and table of contents.

— Zhaoyu Li; D'Ambrosio, B., A framework for ordering composite beliefs in belief networks, Systems, Man and Cybernetics, IEEE Transactions on, vol.: 25 2, Feb. 1995, pp: 243-255.

— Dagum, P.; Chavez, R.M., Approximating probabilistic inference in Bayesian belief networks, Pattern Analysis and Machine Intelligence, IEEE Transactions on, vol.: 15 3, Mar. 1993 , pp.: 246-255.

— Sarkar, S., Modeling uncertainty using enhanced tree structures in expert systems, Systems, Man and Cybernetics, IEEE Transactions on, vol.: 25 4, Apr. 1995 , pp.: 592-604.

— Yiqun Gu; Peiris, D.R.; Crawford, J.W.; NcNicol, J.W.; Marshall, B.; Jefferies, R.A., An application of belief networks to future crop production, Artificial Intelligence for Applications, Jan. 1994., Proceedings of the Tenth Conference on , Jan. 1994, pp.: 3.

— Abdelbar, A.M.; Hedetniemi, S.M., A parallel hybrid genetic algorithm simulated annealing approach to finding most probable explanations on Bayesian belief networks, Neural Networks, Jan. 1997., International Conference on, vol: 1 , 1997 , pp: 450-455, Jan. 1997.

— Shang-Hua Wang; Hung-Tat Tsui, Dynamic structuring of belief networks in a hierarchical perceptual organization, Speech, Image Processing and Neural Networks, 1994. Proceedings, ISSIPNN '94., 1994 International Symposium on, 1994 , pp.: 519-522 vol. 2, Jan. 1997.

— Sarkar, S.; Murthy, I., Constructing efficient belief network structures with expert provided information, Knowledge and Data Engineering, IEEE Transactions on, vol.: 8 1 , Feb. 1996, pp.: 134-143.

— Deleu, J.; Beuscart, R.; Becquart, E.; Duhamel, A.; Comyn, G., Comparison of a probabilistic network and an expert system, Engineering in Medicine and Biology Society, Jan. 1988., Proceedings of the Annual International Conference of the IEEE , 1988 , pp:.

— Abramson, B.; Ng, K.-C., Toward an art and science of knowledge engineering: a case for belief networks, Knowledge and Data Engineering, IEEE Transactions on, vol.: 5 4 , Aug. 1993, pp.: 705-.

— Low, B.T., Neural-Logic Belief Networks-A tool for knowledge representation and reasoning, Tools with Artificial Intelligence, Jan. 1993. TAI '93. Proceedings., Fifth International Conference on , Jan. 1993 , pp.: 34-37.

— Saxena, N.; Sarkar, S.; Ranganathan, N., Mapping and parallel implementation of Bayesian belief networks Parallel and Distributed Processing, 1996., Eighth IEEE Symposium on , Jan. 1996 , pp.: 608-611.

— Suzuki, J., An extension on learning Bayesian belief networks based on MDL principle, Information Theory, 1995. Proceedings., 1995 IEEE International Symposium on, Jan. 1995, p.: 232.

— Bellazzi, R.; Quaglini, S.; Berzuini, C., GAMEES II: an environment for building probabilistic expert systems based on arrays of Bayesian belief networks, Computer-Based Medical Systems, 1992. Proceedings., Fifth Annual IEEE Symposium on, Jan. 1992, p.: 5.

Gebhardt, J; Kruse, R., Learning possibilistic networks from data, Fuzzy Systems, Feb. 1995. International Joint Conference of the Fourth IEEE International Conference on Fuzzy Systems and The Second International Fuzzy Engineering Symposium., Proceedings of, Jan. 1995.

Wang, Shang-Hua et al., Dynamic Structuring of Belief Networks in a Heirarchical Perceptual Organization., ISSIPNN '94. 1994 International Symposium on Speech, Image Processing, and Neural Networks Proceedings (Cat. No. 94TH0638-7) New York, NY, IEEE, 1994, Apr. 1994.

Breese, J.S.; Heckerman, D., Decision-theoretic case-based reasoning, Systems, Man and Cybernetics, Part A, IEEE Transactions on, vol.: 26 6 , Nov. 1996 , pp.: 838-842.

Heckerman, D.; Breese, J.S., Causal independence for probability assessment and inference using Bayesian networks, Systems, Man and Cybernetics, Part A, IEEE Transactions on, vol.: 26 6 , Nov. 1996 , pp.: 838-842.

ART-UNIT: 272

PRIMARY-EXAMINER: Stamber; Eric W.

ASSISTANT-EXAMINER: Starks, Jr.; Wilbert L.

ATTY-AGENT-FIRM: Michaelson & Wallace Michaelson; Peter L.

ABSTRACT:

An improved belief network is provided for assisting users in making decisions. The improved belief network utilizes a decision graph in each of its nodes to store the probabilities for that node. A decision graph is a much more flexible and efficient data structure for storing probabilities than either a tree or a table, because a decision graph can reflect any equivalence relationships between the probabilities and because leaf nodes having equivalent probabilities need not be duplicated. Additionally, by being able to reflect an equivalency relationship, multiple paths (or combinations of the parent values) refer to the same probability, which yields a more accurate probability.

41 Claims, 19 Drawing figures

[Previous Doc](#)

[Next Doc](#)

[Go to Doc#](#)

# 10/795,768 Dialog Classic search

S (VEHICLE OR CAR OR AUTOMOBILE) AND GRAPH? AND NODE AND GRIDLINE?

Your SELECT statement is:

S (VEHICLE OR CAR OR AUTOMOBILE) AND GRAPH? AND NODE AND GRIDLINE?

Items	File
-----	-----

1. No files have one or more items; file list includes 10 files.

S GRAPH? (S) NODE (S) GRIDLINE?

Your SELECT statement is:

S GRAPH? (S) NODE (S) GRIDLINE?

Items	File
-----	-----

No files have one or more items; file list includes 10 files.

?

S GRAPH? (S) NODE (S) GRID?

Your SELECT statement is:

S GRAPH? (S) NODE (S) GRID?

Items	File
-----	-----
17	6: NTIS_1964-2006/Jul W3
54	8: Ei Compendex(R) 1970-2006/Jul W3
2	63: Transport Res(TRIS) 1970-2006/Jun
7	94: JICST-EPlus_1985-2006/Apr W4
6	95: TEME-Technology & Management_1989-2006/Jul W4
2	266: FEDRIP_2005/Dec

2. 6 files have one or more items; file list includes 10 files

B 6,8,63,94,95,266  
27jul06 20:33:04 User264717 Session D472.7  
\$1.32 0.499 DialUnits File411  
\$1.32 Estimated cost File411  
\$1.86 INTERNET  
\$3.18 Estimated cost this search  
\$53.72 Estimated total session cost 1.806 DialUnits

SYSTEM:OS - DIALOG OneSearch  
File 6:NTIS 1964-2006/Jul W3  
(c) 2006 NTIS, Intl Cpyrght All Rights Res  
File 8:Ei Compendex(R) 1970-2006/Jul W3  
(c) 2006 Elsevier Eng. Info. Inc.  
File 63:Transport Res(TRIS) 1970-2006/Jun  
(c) fmt only 2006 Dialog

File 94:JICST-EPlus 1985-2006/Apr W4  
(c)2006 Japan Science and Tech Corp (JST)  
File 95:TEME-Technology & Management 1989-2006/Jul W4  
(c) 2006 FIZ TECHNIK  
File 266:FEDRIP 2005/Dec  
Comp & dist by NTIS, Intl Copyright All Rights Res

S S1 AND (VEHICLE OR CAR OR AUTOMOBILE)

88 S1  
292192 VEHICLE  
96696 CAR  
143767 AUTOMOBILE

S2 0 S1 AND (VEHICLE OR CAR OR AUTOMOBILE)